LAND RECLAMATION COMMISSION

STATE OF MISSOURI

P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 573-751-4041

Permit To Engage in Surface Mining	
LAND RECLAMATION COMMISSION	_

ISSUES TO BANDERAS CONSTRUCTION COMPANY

	Pursuant to "The Land Reclamation Act," RSMo, 2001, and on conformity with the statements						
	In the application, a permit is hereby granted to engage in surface mining of						
	limestone in the state of Missouri. The extent of the						
_	Proposed mining operation(s) will be on 25 acres, more or less.						
	The leasting of the exerction(s) under this normit is/are as follows: Denougl						

The locations of the operation(s) under this permit is/are as follows: Renewal

County	Section	Township	Range	Acres	Acres	Total	Site/Stream	Site
•				Renewed	New	Acres	Name	Number
Jackson	06	48N	32W	25	0	25	Site #007	0530
An extent price or counts for results and the Market Surface Assessment to the counts of the counts								
		And the second s		and the state of t				
		AND THE PROPERTY OF THE PROPER		k a mark was well a seem and displacement the best same between 1 days 1 days 1.				

This permit may be suspended or revoked upon violation of any or all of the conditions set forth in "The Land Reclamation Act," RSMo. 2001, or in such rules and regulations as are promulgated pursuant thereto by the Land Reclamation Commission.

IN WITNESS WHEREOF I have hereunto set my hand this 14th day of May 2004

DIRECTOR OF STAFF
Land Reclamation Commission

Permit No. 0536T

Effective Date 05/14/2004

Expiration Date 04/22/2005

MO 780-1122 (6-95)

MISSOURI DEPARTMENT OF NATURAL RESOURCES LAND RECLAMATION COMMISSION

APR 2 0 2004

Q	===
4	(4)

PERMIT RENEWAL FOR INDUSTRIAL MINERAL MINES

P.O. BOX 176 JEFFERSON CITY, MO 65102-0176

MISSOURI LAND SEFFENSON CITT, NO 63 102-0176							
NAME OF CORPORATION, COMPANY, PARTNERSHIP OR INDIVIDUAL BANDERAS CONST, INC. RECLAMATION COMMISSION: 4/46/04							
BOX 425 OAK GROUE						21P CODE 64075	
CONTACT PÉRSON DANIEL BANDO	ERAS, JR				TELEPHONE NUMBER	00-8177	
FEES: COMPLETE SECTION I OR SECTIO				F_{i}		20 15,410	
SECTION I. Fees: Open pit operators and	those mining more thar	1 5,000 tons	of sand ar	nd/or grave			
1. To compute the site fee complete the in	formation below:						
SITE NAME OR NUMBER	Mark each month that	the site will	be operat	ed during	For sites operated le permit year pay \$150	ss than six months per	
(add a separate sheet for additional sites)	the permit year				For sites operated s permit year pay \$300	ix months or more per	
1 Site#007	Jan, Feb, Mar, Apr May	Jun Jul Aug	Sep Oct	. Nov, Dec			
2.	Jan, Feb, Mar, Apr, May	, Jun, Jul, Aug	g, Sep, Oct	. Nov, Dec	\$		
3.	Jan, Feb, Mar, Apr, May	, Jun, Jul, Aug	, Sep, Oct	. Nov, Dec	\$		
4.	Jan, Feb, Mar, Apr, May	, Jun, Jul, Aug	g, Sep, Oct	, Nov, Dec	\$		
5.	Jan, Feb, Mar, Apr, May	, Jun, Jul, Aug	g, Sep, Oct	. Nov, Dec	\$		
6.	Jan, Feb, Mar, Apr, May	, Jun, Jul, Aug	g, Sep, Oct	. Nov, Dec	\$		
7.	Jan, Feb, Mar, Apr, May	, Jun, Jul, Aug	g, Sep, Oct	, Nov, Dec	\$		
8.	Jan, Feb, Mar, Apr, May	, Jun, Jul, Aug	g, Sep, Oct	, Nov, Dec	\$		
9.	Jan, Feb, Mar, Apr, May	, Jun, Jul, Aug	g, Sep, Oct	, Nov, Dec	\$		
10.	Jan, Feb, Mar, Apr, May	, Jun, Jul, Aug	g. Sep, Oct	, Nov, Dec	\$, , , , , , , , , , , , , , , , , , ,	
TOTAL SITE FEE				-	\$ 150 00	•	
2. Acreage Fee \$5 X number of	of acres bonded				.\$		
3. Annual Permit Fee					.\$ 500		
4. Total Fee (Add totals from 1, 2 and 3)					\$		
NOTE: If Total Fee exceeds \$2,500.00 the							
					.4 2,500		
SECTION II. FEES: Sand or gravel operato	ors mining less than 5,0	000 tons per	year:		·		
1. Annual Permit Fee					.\$ 300 		
SIGNATURE OF APPLICANT SON ILLOS	6-	TITLE	NEI	ر	DATE A S	6/04	
Appeared before me this 16th day of	APRIL	.2064.	DAN	iel Ba	inderas.	JR	
to me personally known, who executed the a							
NOTARY PUBLIC EMBOSSER SEAL STATE OF 1550	· · · · ·				TY OF ST. LOUIS)		
l	SWORN BEFORE ME, THIS			Jack	250 N		
16+h	DAY OF APRI			USE RUBB	EN GYMMPHODE		
NOTARY PUBLIC S	-	MY COMMISS EXPIRES	SION	. {	MARY A. Notary Public -		
mary	a. Welch	3-14	-06	}	State of M	issouri	
1	IAME (TYPED OR PRINTED) A. We/ch			Му	County of J Commission Exp		
FOR DEPARTMENT USE ONLY: APPROVED BY	DATE APPROVED	PE	RMIT NUMBER		EXPIRATION D	manne	
Michael of Mull	5/11/04		053	6T	14/2	2/05	
MO 100 1100 (16702)							



MISSOURI DEPARTMENT OF Natural Resources LAND RECLAMATION COMMISSION



RECEIVED

SITE INFORMATION FORM

SILINFORMATION			AUG 1 3 2001
To be completed for each separate area	of disturbance assoc	ciated with mining operat	ions.
TTE NAME OR NUMBER	CAH	PERMIT NUMBER	MISSOURI LAND RECLAMATION COMMISSION
# Site # 007	\vee	0536	Odwinission
OMPANY NAME			
BANDERAS CONSTRUCTION	, INC.		
OUNTY	1/4 SECTION		SECTION
JACKSON	NE		6
OWNSHIP	RANGE		ACRES
48 N	32 W	,	₹36a
IVER OR STREAM NAME (FOR IN-STREAM AC			34 0
(, 0, 1, 0, 1, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	,		
MINERAL COMMODITY		ESTIMATED TONS/YEA	R (FOR GRAVEL SITES)
OOLITE STONE			, 1 2,
OOPTIE STORE			
NAME OF LANDOWNER (ATTACH LIST IF MORE	THAN ONE)		
BANDERAS CONSTRUCTION	ON, INC.		
ADDRESS	م القاميوني بي		
72 N. JAMES ST.			
CITY		STATE	ZIP CODE
KANSAS CITY		KANSAS	66118
SOURCE OF RIGHT TO MINE (CHECK ONE):			DATE OF AGREEMENT
MINERAL DEED		LEASE	
X WARRANTY DEED		VERBAL AGREEMEN	NT
OTHER (DESCRIBE):			
			
MINERAL RIGHTS OWNER (ATTACH LIST IF MO	ORE THAN ONE)		
SAME AS ABOVE	 ,		
ADDRESS			
CITY		STATE	710.0005
CITY		SIMIE	ZIP CODE
SOURCE OF RIGHT TO MINE (CHECK ONE):		□	DATE OF AGREEMENT
MINERAL DEED		LLEASE	
WARRANTY DEED		LJ VERBAL AGREEME	NT
OTHER (DESCRIBE):			
NOTE: Each site must be shown on a	map and be included	in a public notice and an	approved mine plan.
AO 780-1036 (12-91)			

P.O. BOX 176 JEFFERSON CITY, MO 65102

PAGE 1 OF 5

THE ACT IN AN ACCUSANCE AND A STATE OF THE ACCUSANCE AND A				
TYPE OF PLAN (CHECK ONE): SHORT TERM, FOR ONE PERMIT YEAR	COMPANY NAME	BANDERAS	CONSTRUCTION, IN	C.
LONG TERM, FOR PERIOD THROUGH DATE:	7-15-2020			
DESCRIPTION OF SITE PRIOR TO LAND RECLAMA		APPLICANT OF	PRIOR OPERATOR) INCLU	DING SOIL VEGETATION
AND TOPOGRAPHY.				ome doic, vederation
THIS PLAN COVERS THE EXISTING 36 ACRES. MOST OF THE MINING OF THE SITE. THIS AREA HAS A ROCK LEDGES, SEE MAP PREPARED A 6 ACRE APEA TO THE NORTH HAD A 6 ACRE APEA A 6 ACRE APEA TO THE NORTH HAD A 6 ACRE APEA A 6 ACRE APEA TO THE NORTH HAD A 6 ACRE APEA A	G AREA LINES WITHIN TRA LLREADY HAD THE OVERBUR D 1-26-01 "A". THERE I	CK IV, WH DEN STRIP S NO TOPS	ICH IS APPROXIMA PED AND USED TO OIL ON THE CURRE	TELY 22 ACRES PROTECT THE NT OPEN PIT,
A 6 ACRE AREA TO THE NORTH HA SOUTH BY BLUE PARKWAY DRIVE;			S. THE PIT IS B	OUND TO THE
booth bi blot lakkwai bkivb,	NORTHEREI BI JOIN SIKE	E1.		
			RECE	EIVED
			AUG 1	3 2001
				URI LAND N COMMISSION
OPERATION PLAN - 10 CSR 40-10.020(2)	(D)1.			
A. TOPSOIL				
AVERAGE DEPTH OF TOPSOIL, PRIOR TO LAND RE	ECLAMATION COMMISSION PERMITT	ING	IS TOPSOIL TO BE SOLD	OR DISCARDED OFFSITE?
	NONE	INCHES	YES OR X NO	
DESCRIBE METHODS AND EQUIPMENT USED FOR	TOPSOIL REMOVAL		<u></u>	- Ali
				, G "
for reclamation alre- Feb 13, 2001.	eady exist see	ation beg Inspect	inning. Soil S ion Repost e	tockpiles letel
•				
DESCRIBE METHODS AND EQUIPMENT USED FOR	TOPSOIL STORAGE AND PROTECTION	ИС		
N/A				

MO 780-1327 (12-91)

PERMIT NO._____ SITE NO.+/or NAME_____

RECEIVED

D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET) DESCRIBE WETHODS AND SOUPMENT USED FOR HANDLING ACID MATERIALS (IF NONE IS ANTICIPATED, WRITE THORY OF THE PIT WILL BE PLACED IN THE NINED-OUT PORTIONS OF THE PIT AND GRADED PRIOR TO TOPSOIL BRING REPLACED. C. ACID MATERIALS DESCRIBE WETHODS AND SOUPMENT USED FOR HANDLING ACID MATERIALS (IF NONE IS ANTICIPATED, WRITE THORE-BELOW) NONE D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET) DESCRIBE WETHODS AND SOUPMENT USED FOR HANDLING ACID MATERIALS (IF NONE IS ANTICIPATED, WRITE THORE-BELOW) NONE D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET) DESCRIBE WETHODS AND SOUPMENT OF PIT, IN FOT CLEAR ON STREAMS A POTTLE COLD TO MAND ORDER AND FOR THE AREA OF MINING OPERATIONS; THE LONG NARROW RIGHT OF MAY WILL REPAIR BRIEFER WILL BE FLACED ALONG THE RESTERN SLOPE THAT ADJOINS THIS AREA, AND READ NORTHERRY 1000 "PLUS OR HINDS REFORE IT TURNS WESTERLY". THE PIT WILL BE SLOPED TO A GRADE OF LESS THAN 60 DECREES UPON COMPLETION. YES NO WILL ANY EXCLUSION DE ALONG THE CASE OF MINING OPERATION WILL CONTINUE ADDORS THE PIT WILL BE SLOPED TO A GRADE OF LESS THAN 60 DECREES UPON COMPLETION. YES NO WILL ANY EXCLUSION DE ALONG THE PIT WILL BE SLOPED TO A GRADE OF LESS THAN 60 DECREES UPON COMPLETION. YES NO WILL ANY EXCLUSION DE ALONG THE PIT WILL BE SLOPED TO COMPLETE THE PIT WILL BE SLOPED TO MORE THAN THE PIT WILL BE SLOPED TO THE OFFICE OF THE PIT WILL BE SLOPED TO THE OFFICE OF THE PIT WILL BE SLOPED TO THE OFFICE OF THE PIT WILL BE SLOPED TO THE OFFICE OF THE PIT WILL BE SLOPED TO THE OFFICE OF THE PIT WILL BE SLOPED TO THE OFFICE OF THE PIT WILL BE SLOPED TO THE OFFICE OF THE PIT WILL BE SLOPED TO THE OFFICE OF THE PIT WILL BE SLOPED TO THE OFFICE OF THE PIT WILL BE SLOPED TO THE OFFICE OF THE OFFICE	B. SPO	OIL.	AUG 1 3 2001
ALL OVERBURDEN REMOVED FROM THE PIT WILL BE PLACED IN THE MINED-OUT PORTIONS OF THE PIT AND GRADED PRIOR TO TOPSOIL BEING REPLACED. C. ACID MATERIALS DESCRIBE METHODS AND EQUIPMENT USED FOR MANDLING ACID MATERIALS (IF NONE IS ANTICIPATED, WRITE "NONE" BELOW) NONE NONE A PROTECTIVE MARRIER WILL BE PLACED ALONG THE MASTERN PROPERTY LINE THAT ABUTS BOOTH AVENUE CULP-DE-SAC, IN HITE AREA OF MINING OPPRATIONS; THE LONG MARROW RIGHT OF MAY WILL REMAIN BARRIER FEE. PIT OPPRATION WILL CONTINUE ALONG THE EASTERN SLOPE THAT ADJOING THE EASTERN SLOPE THAT ADJOING THE PIT WILL BE SLOPED TO A GRADE OF LESS THAN 60 DEGREES UPON COMPLETION. YES NO WILL BY WESTERLY. THE PIT WILL BE SLOPED TO A GRADE OF LESS THAN 60 DEGREES UPON COMPLETION. WILL BY WESTERLY AND HEAD NORTHERN FOR THE MINING OPPRATION BY A STREAM OF THE MASTERN PROPERTY AND PUBLIC ROAD? WILL BY WESTERLY AND HEAD NORTHERN FOR THE MASTERN PROPERTY AND PUBLIC ROAD? WILL BY WESTERLY AND HEAD NORTHERN FOR THE MASTERN PROPERTY AND PUBLIC ROAD? WILL BY WESTERLY AND HEAD NORTHERN FOR THE MASTERN PROPERTY LINE THAT ADJOIN THE MASTERN PROPERTY LINE THAT ADJUST THE EASTERN PROPERTY LINE THAT ADJUST THE MASTERN PROPERTY LINE THAT ADJUST THE MASTERN PROPERTY LINE THAT ADJUST THE MASTERN PROPERTY LINE THAT ADJUST THAT ADJUST THE MASTERN PROPERTY LINE THAT AD			
C. ACID MATERIALS DESCRIBE METHODS AND EQUIPMENT USED FORHANDLING ACID MATERIALS (IF NONE IS ANTICIPATED, WRITE "NONE" BELOW) NONE NONE NONE D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET) DESCRIBE (COSTION AND GRIENTATION OF PIT, IF NOT CLEAR ON SITE MARS A PROTECTIVE BARRIER WILL BE PLACED ALONG THE EASTERN PROPERTY LINE THAT ABUTS BOOTH AVEAUE CUIL-DE-SAC, IN THE ARRA OF MINING OPERATIONS; THE LONG NARROW RIGHT OF NAY WILL REMAIN BARRIER PREE. PIT OPERATION WILL CONTINUE ALONG THE EASTERN SLOPE THAT ADJOINS THIS ARRA, AND HEAD NORTHERLY 1000* PLUS OR MINUS BEFORE IT TURNS WESTERLY. THE PIT WILL BE SLOPED TO A GRADE OF LESS THAN 60 DEGREES UPON COMPLETION. YES NO Will any excavation be at or within fifty feet (50") of the right-of-way of any public road? Will say highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials bet in place, a slope of no more than forly degrees may start near the right of way, and in no case may the excavation be closer to the right of way than lifty feet or twenty-five feet plus one and one-half (1-2) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.) Will any excavation start at or within fifty feet (50") of any property line? (NOTE: If the answer is "yes", a safety barrier may be needed.)	220,		MISSOURI LAND
NONE D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET) DESCRIBE LCC3*ION AND CRIENTATION OF PIT. IF NOT CLEAR ON SITE MAPS A PROTECTIVE BARRIER WILL BE PLACED ALONG THE EASTERN PROPERTY LINE THAT ABUTS BOOTH AVENUE CUL-DE-SAC, IN THE ARRA OF MINING OPERATIONS; THE LONG NARROW RIGHT OF WAY WILL REMAIN BARRIER FRRE. PIT OPERATION WILL CONTINUE ALONG THE EASTERN SLOPE THAT ADJOINS THIS ARRA, AND HEAD NORTHERLY 1000¹ PLUS OR MINUS BEPORE IT TURNS WESTERLY. THE PIT WILL BE SLOPED TO A GRADE OF LESS THAN 60 DEGREES UPON COMPLETION. YES NO Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials be left within fifty feet of the right-of-way of any start near the right of way, and in no case may the excavation be closer to the right of way than fifty feet or twenty-five feet plus one and one-half (1-/3) tenses the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.) Will any excavation start at or within fifty feet (50°) of any property line? (NOTE: If the answer is "yes", a safety barrier may be needed.)			
NONE D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET) DESCRIBE LCC3*ION AND CRIENTATION OF PIT. IF NOT CLEAR ON SITE MAPS A PROTECTIVE BARRIER WILL BE PLACED ALONG THE EASTERN PROPERTY LINE THAT ABUTS BOOTH AVENUE CUL-DE-SAC, IN THE ARRA OF MINING OPERATIONS; THE LONG NARROW RIGHT OF WAY WILL REMAIN BARRIER FRRE. PIT OPERATION WILL CONTINUE ALONG THE EASTERN SLOPE THAT ADJOINS THIS ARRA, AND HEAD NORTHERLY 1000¹ PLUS OR MINUS BEPORE IT TURNS WESTERLY. THE PIT WILL BE SLOPED TO A GRADE OF LESS THAN 60 DEGREES UPON COMPLETION. YES NO Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials be left within fifty feet of the right-of-way of any start near the right of way, and in no case may the excavation be closer to the right of way than fifty feet or twenty-five feet plus one and one-half (1-/3) tenses the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.) Will any excavation start at or within fifty feet (50°) of any property line? (NOTE: If the answer is "yes", a safety barrier may be needed.)			
NONE D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET) DESCRIBE LOCATION AND ORIENTATION OF PIT IF NOT CLEAR ON SITE MAPS A PROTECTIVE BARRIER WILL BE PLACED ALONG THE EASTERN PROPERTY LINE THAT ABUTS BOOTH AVENUE CUL-DE-SAC, IN THE AREA OF MINING OPERATIONS; THE LONG NARROW RIGHT OF WAY WILL REMAIN BARRIER FREE. PIT OPERATION WILL CONTINUE ALONG THE EASTERN SLOPE THAT ADJOINS THIS ARRA, AND HEAD NORTHERLY 1000° PLUS OR MINUS BEFORE IT TURNS WESTERLY. THE PIT WILL BE SLOPED TO A GRADE OF LESS THAN 60 DEGREES UPON COMPLETION. Will any excavation be at or within fifty feet (50°) of the right-of-way of any public road? Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right of way, and in no case may the excavation be closer to the right of way than fifty feet or twenty-five feet plus one and one-half (1-½) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.) Will any excavation start at or within fifty feet (50°) of any property line? (NOTE: If the answer is "yes", a safety barrier may be needed.)	C. ACI	D MATER	IALS
D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET) DESCRIBE LOCATION AND ORIENTATION OF PIT, IF NOT CLEAR ON SITE MAPS A PROTECTIVE BARRIER WILL BE PLACED ALONG THE BASTERN PROPERTY LINE THAT ABUTS BOOTH AVENUE CUL—DB—SAC, IN THE AREA OF MINING OPERATIONS; THE LONG NARROW RIGHT OF WAY WILL REMAIN BARRIER FREE. PIT OPERATION WILL CONTINUE ALONG THE BASTERN SLOPE THAT ADJOINS THIS AREA, AND HEAD NORTHERLY 1000' PLUS OR MINUS BEFORE IT TURNS WESTERLY. THE PIT WILL BE SLOPED TO A GRADE OF LESS THAN 60 DEGREES UPON COMPLETION. Will any excavation be at or within fifty feet (50') of the right-of-way of any public road? Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right of way, and in no case may the excavation be closer to the right of way than lifty feet or twenty-five feet plus one and one-half (1-½) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.) Will any excavation start at or within fifty feet (50') of any property line? (NOTE: If the answer is "yes", a safety barrier may be needed.)	DESCRIE	BE METHOD	S AND EQUIPMENT USED FOR HANDLING ACID MATERIALS (IF NONE IS ANTICIPATED, WRITE "NONE" BELOW)
A PROTECTIVE BARRIER WILL BE PLACED ALONG THE EASTERN PROPERTY LINE THAT ABUTS BOOTH AVENUE CUL—DE—SAC, IN THE AREA OF MINING OPERATIONS; THE LONG NARROW RIGHT OF WAY WILL REMAIN BARRIER FREE. PIT OPERATION WILL CONTINUE ALONG THE EASTERN SLOPE THAT ADJOINS THIS AREA, AND HEAD NORTHERLY 1000' PLUS OR MINUS BEFORE IT TURNS WESTERLY. THE PIT WILL BE SLOPED TO A GRADE OF LESS THAN 60 DEGREES UPON COMPLETION. Will any excavation be at or within fifty feet (50') of the right-of-way of any public road? Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right of way, and in no case may the excavation be closer to the right of way than fifty feet or twenty-five feet plus one and one-half (1-½) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.) Will any excavation start at or within fifty feet (50') of any property line? (NOTE: If the answer is "yes", a safety barrier may be needed.)			NONE
A PROTECTIVE BARRIER WILL BE PLACED ALONG THE EASTERN PROPERTY LINE THAT ABUTS BOOTH AVENUE CUL-DE-SAC, IN THE AREA OF MINING OPERATIONS; THE LONG NARROW RIGHT OF WAY WILL REMAIN BARRIER FREE. PIT OPERATION WILL CONTINUE ALONG THE EASTERN SLOPE THAT ADJOINS THIS AREA, AND HEAD NORTHERLY 1000' PLUS OR MINUS BEFORE IT TURNS WESTERLY. THE PIT WILL BE SLOPED TO A GRADE OF LESS THAN 60 DEGREES UPON COMPLETION. Will any excavation be at or within fifty feet (50') of the right-of-way of any public road? Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right of way, and in no case may the excavation be closer to the right of way than fifty feet or twenty-five feet plus one and one-half (1-½) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.) Will any excavation start at or within fifty feet (50') of any property line? (NOTE: If the answer is "yes", a safety barrier may be needed.)	D. PIT	INFORMA	ATION (GIVE ALL DIMENSIONS IN FEET)
BOOTH AVENUE CUL-DE-SAC, IN THE AREA OF MINING OPERATIONS; THE LONG NARROW RIGHT OF WAY WILL REMAIN BARRIER FREE. PIT OPERATION WILL CONTINUE ALONG THE EASTERN SLOPE THAT ADJOINS THIS AREA, AND HEAD NORTHERLY 1000' PLUS OR MINUS BEFORE IT TURNS WESTERLY. THE PIT WILL BE SLOPED TO A GRADE OF LESS THAN 60 DEGREES UPON COMPLETION. Will any excavation be at or within fifty feet (50') of the right-of-way of any public road? Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right of way, and in no case may the excavation be closer to the right of way than fifty feet or twenty-five feet plus one and one-half (1-½) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.) Will any excavation start at or within fifty feet (50') of any property line? (NOTE: If the answer is "yes", a safety barrier may be needed.)	DESCRIE	SE LOCATIO	N AND ORIENTATION OF PIT, IF NOT CLEAR ON SITE MAPS
Will any excavation be at or within fifty feet (50') of the right-of-way of any public road? Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right of way, and in no case may the excavation be closer to the right of way than fifty feet or twenty-five feet plus one and one-half (1-½) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.) Will any excavation start at or within fifty feet (50') of any property line? (NOTE: If the answer is "yes", a safety barrier may be needed.)		BOOTH OF WAY SLOPE TURNS	AVENUE CUL-DE-SAC, IN THE AREA OF MINING OPERATIONS; THE LONG NARROW RIGHT WILL REMAIN BARRIER FREE. PIT OPERATION WILL CONTINUE ALONG THE EASTERN THAT ADJOINS THIS AREA, AND HEAD NORTHERLY 1000' PLUS OR MINUS BEFORE IT WESTERLY. THE PIT WILL BE SLOPED TO A GRADE OF LESS THAN 60 DEGREES UPON
Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right of way, and in no case may the excavation be closer to the right of way than fifty feet or twenty-five feet plus one and one-half (1-½) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.) Will any excavation start at or within fifty feet (50') of any property line? (NOTE: If the answer is "yes", a safety barrier may be needed.)	YES	NO	
public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right of way, and in no case may the excavation be closer to the right of way than fifty feet or twenty-five feet plus one and one-half (1-½) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.) Will any excavation start at or within fifty feet (50') of any property line? (NOTE: If the answer is "yes", a safety barrier may be needed.)		X	Will any excavation be at or within fifty feet (50') of the right-of-way of any public road?
(NOTE: If the answer is "yes", a safety barrier may be needed.)		X	public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right of way, and in no case may the excavation be closer to the right of way than fifty feet or twenty-five feet plus one and one-half (1-1/2) times the depth of unconsolidated material, whichever is
MO 780-1327 (12-91) PAGE 2 OF	X		
PHILE THE	MO 780-132	27 (12-91)	DACE 2 OF S

PERMIT NO._____ SITE NO.+/or NAME_

AUG 1 3 2001

RECLAMATION PLAN - 10 CSR 40-10.020(2)(D)2.							
A. REVEGETATION (Attach a	MISSOURI LAND						
REVEGETATION MIX #1	PURPOSE OR LAND USE	B. SEEDING OR PLANTING TIME					
	PASTURE	MARCH 15 - MAY 15					

DESCRIBE METHODS AND EQUIPMENT TO BE USED FOR SEEDING OR PLANTING

DURING THE FIRST SPRING FOLLOWING TOPSOIL REPLACEMENT THE SEED MIX WILL BE BROADCAST AND HARROWED. RESEEDING WILL BE DONE AS NEEDED TO ACHIEVE GRASS COVER TO CONTROL EROSION AND TO SUPPORT PASTURE.

Lime and fertilizer will be applied according to recommendations made, based on an analysis of soil texture and nutrients. Mulch will be applied to all slopes exceeding 5:1.

SEEDED SPECIES	POUNDS/ACRE	TREE OR SHRUB SPECIES	STEMS/ACRE
ORCHARD GRASS	15		
FESCUE ALFALFA	15 10		
KOREAN LESPEDEZA	10		

REVEGETATION MIX #2

FURPOSE OR LAND USE

B SEEDING OR PLANTING TIME

RESIDENTIAL, COMMERCIAL DEVELOPMENT

MARCH 15 - MAY 15

DESCRIBE METHODS AND EQUIPMENT TO BE USED FOR SEEDING OR PLANTING

DURING THE FIRST SPRING FOLLOWING THE TOPSOIL REPLACEMENT IN THE PRESCRIBED AREAS TO HAVE GREENERY, (NOT BUILDING PAD OR PARKING AREA'S), THE SEED MIX WILL BROADCAST AND HARROWED. RESEEDING WILL BE DONE AS NEEDED TO ACHIEVE GRASS COVER SUFFICIENT TO CONTROL EROSION AND TO SUPPORT PASTURE.

Lime and fertilizer will be applied according to recommendations made, based on an analysis of soil texture and nutrients. Mulch will be applied to all slopes exceeding 5:1.

SEEDED SPECIES	POUNDS/ACRE	TREE OR SHRUB SPECIES	STEMS/ACRE
ORCHARD GRASS	15		
FESCUE	15		
ALFALFA	10		
KOREAN LESPEDEZA	10		
	į		

ATTACH ADDITIONAL SHEETS FOR ADDITIONAL SEED MIXES.

MO 780-1327 (12-91)

PAGE 3 OF 5

PERMIT NO. _____ SITE NO.+/or NAME___

B. GRADING

DESCRIBE PROPOSED RECLAIMED TOPOGRAPHY, INCLUDING SLOPES

ALL SPOIL AREAS WILL BE GRADED TO SLOPES TRAVERSABLE BY FARM MACHINERY.

RECEIVED

AUG 1 3 2001

MISSOURI LAND RECLAMATION COMMISSION

C. DESCRIBE THE GENERAL SEQUENCE AND TIMING OF THE FOLLOWING ACTIVITIES

GRADING

GRADING WILL BE DONE AS THE PIT ADVANCES AND AS SPOIL IS PLACED IN THE MINED-OUT PORTIONS. FINAL GRADING WILL BE COMPLETED WITHIN ONE YEAR OF PERMIT EXPIRATION ON ALL MINED-OUT PORTIONS.

REPLACEMENT OF TOPSOIL

TOPSOIL WILL BE REPLACED TO A UNIFORM DEPTH OF 6 INCHES, AND DISCED TO REDUCE COMPACTION. TOPSOIL WILL BE REPLACED WITHIN ONE YEAR OF PERMIT EXPIRATION ON ALL MINED-OUT PORTIONS.

REVEGETATION

ALL TOPSOIL AREAS WILL BE SEEDED DURING THE FIRST OPTIMUM SEEDING PERIOD FOLLOWING TOPSOIL REPLACEMENT.

AVERAGE DEPTH OF REPLACED TOPSOIL (INCHES)

A HORIZON (3 INCHES) + B HORIZON (3 INCHES) = 6 INCHES D. USE OF LAND WHEN RECLAIMED **ESTIMATED ACRES:** Estimate acreage of each land use below, after reclamation Wildlife (forest or other habitat with livestock excluded) 0 Agricultural (pasture, cropland, and horticultural) 0 Development (residential, industrial, and records 36 Water impoundments (for wildlife, agricultural, or development) MO 780-1327 (12-91) PAGE 4 OF 5 36

TOTAL:

RECEIVED

AUG 1 3 2001

By my signature, I attest to the following:

PERMIT NO.__

MISSOURI LAND RECLAMATION COMMISSION

- 1. All statements made on this Mine Plan Form are correct, complete, and true, to the best of my knowledge.
- 2. I or the company I am authorized to represent intend(s) to mine in accordance with this Mine Plan Form, and in accordance with the Missouri Land Reclamation Act, Sections 444.760 through 444.789, RSMo and all rules, regulations, orders, decisions and permits of the Missouri Land Reclamation Commission pertaining to my company's surface mining operations.
- 3. I have obtained the approval of all landowner's for all proposed post-reclamation land uses.
- 4. I have a valid agreement with all landowners which gives me the right to grant access to the Director of the Missouri Land Reclamation Commission and his authorized representatives, and I grant such access, and further where I have no such right, I have attached signed affidavits from the landowners, granting such access.

0 0			
SIGNATURE OF APPLICANT	0000	TITLE (ONS)	8/8/01
	UBSCRIBED AND SWORN BEFORE ME, TI	HIS	COUNTY (OR CITY OF ST. LOUIS) !
	DAY OF Y	1806 et	USE RUBBER STAMP IN CLEAR AREA BELOW
	OTARY PUBLIC SIGNATURE OTARY PUBLIC NAME (TYPED OR PRINTED)	MY COMMISSION EXPIRES 3 5 7	HOTARY PUBLIC - State of Kansas SUE BOWDRE My Appt. Exp.
APPROVED BY (DIRECTOR'S REPRES	ENTATIVE)	DATE APPROVED	PERMIT NUMBER .
Her Fans	and	9-10-0	1 0536
MO 780-1327 (12-91)			PAGE 5 OF 5

SITE NO.+/or NAME_



